

### **IGNITE THE POWER OF NATURE**

## Polycrystalline Module --small size 25Watt

# Model (SL25TU-18P) Specifications











#### **Electrical Data**

Maximum Power(W)	25W
Optimum Power Voltage(Vmp)	18.83V
Optimum Operating Current(Imp)	1.33A
Open Circuit Voltage(Voc)	22.46V
Short Circuit Current(Isc)	1.42A
Cell Efficiency (%)	16.82%
Module Efficiency (%)	12.18%
Tolerance Wattage(e.g.+/-3%)	0 ~+3%
NOCT	47°C +/-2°C

### Benefits

- # High efficiency solar cells with high transmission and textured glass are delivering high efficiency for modules;
- Bypass diode minimizes the power drop caused by shade;
- Tempered glass, EVA resin, and weatherproof film, plus aluminum frame for extended outdoor use;
- math Modules independently tested to ensure conformance with certification and regulatory standards;
- Manufacturing facility certified to ISO 9001 quality management system standards.

### **Applications**

- On-grid residential roof-tops
- On-grid commercial/industrial roof-tops
- Solar power stations
- Other on-grid applications

### **Temperature Coefficients**

Temperature Coefficients of Isc(%)	+0.04
Temperature Coefficients of Voc(%)	-0.38
Temperature Coefficients of Pm(%)	-0.47
Temperature Coefficients of Im(%)	+0.04
Temperature Coefficients of Vm(%)	-0.38






## **IGNITE THE POWER OF NATURE**

## Polycrystalline Module --small size 25Watt

### Components & Mechanical

Solar Cell	156*27 Poly	
Number of Cell(pcs)	2*18	
Size of Module(mm)	570*360*28	
Front Glass Thikness(mm)	3.2	
Surface Maximum Load Capacity	2400-5400Pa	
Allowable Hail Load	23m/s ,7.53g	
Weight Per Piece(KG)	2.6	
Frame(Material Corners,etc.)	28#	
Backing (Brand Type)	TPT	
Temperature Range	-40°C to +85°C	
FF (%)	70-76%	
Standard Test Conditions	AM1.5 1000W/m² 25°C	

### **Engineering Drawings**



©2013 Ningbo Qixin Solar Electrical Appliance Co., Ltd. All rights reserved. Specifications included in this datasheet are subject to change without notice.









#### **Packing**

Packing	Wooden Box
Pieces per	140pcs/Pallets
container	

#### **Project Picture**



### Ningbo Qixin Solar Electrical Appliance Co., Ltd

ADD: No. 37 Jingang Road, Binhai Industrial Park, Xiangshan County, Ningbo, 315700, China

TEL: 0086 (0)574 25758821 FAX: 0086 (0)574 25758820 E-mail: info@nbqxsokr.com

